JUL 0 5 2011 W STRADEN THAT CONTROL OF 1

Sheet 1

PTO/SB/08A (08-03)
Approved for use through 07/31/2006, OMB 0651-0931

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE perwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Complete if Known

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

of 1

(Use as many sheets as necessary)

Application Number 10/579,422
Filing Date 05-12-2004
First Named Inventor MOHAN, CHANDRA
Art Unit 2614
Examiner Name JAMAL, ALEXANDER
Attorney Docket Number PTU030008

U. S. PATENT DOCUMENTS								
Examiner nitials*	Cite No.1	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear			
		Number-Kind Code ^{2 (Finance)}			Figures Appear			
		US-						
		US-						
	-	US-						
	_	US-						
		US-						
		US-	 					
	_	US-						
	_	US-						
	_	US-						
	<u> </u>	US:						
		US-						
	-	US-						
	-	US-						
	\vdash	US-						
	+	US-						
	\vdash	US-						
	_	US-						
	+	US-						
	+	US-	†					

Examiner	Cite	Foreign Patent Document	GN PATENT DOCU	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages	
Initials*	No.1	Country Code ³ "Number ⁴ "Kind Code ⁵ (if known)	MM-DD-YYYY		Or Relevant Figures Appear	7°
		JP2003256649	09-12-2003	NIPPON ANTENNA		_
		JP7307795	11-21-1995	NIPPON TELEGR &		
		JP2000134356	05-12-2000	NEC		Ļ
						۲
	-					Н
Evaminer	_			Date		=

Examiner | Alexander Jamai | Grandered | G

Translation is attached.
This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to ordan or retain a benefit by the public which is to fife (and by this collection of information is required by 37 CFR 1.97 and 1.98. The information is required to proceed in a seminary controlled in the controll

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.